

IN THE CLAIMS

Kindly amend the claims in this application as follows:

1. (Currently amended) A shopping cart, comprising:

a wheeled base having forward and rear portions,

a container supported by said base,

said base including a handle member extending upwardly from, and attached to, said base,

a gate member pivotably attached to said handle member at the rear of said container and

being functionally arranged therewith to act as a closure for the rear of the container,

a pedestal formed on said base for supporting said container thereon,

said pedestal being secured to said base at a location

between the forward and rearward ends of said base,

said container being supported on, and secured to, said pedestal at a fixed location on said
base so that the rear of said container is disposed forwardly of the rear of the base, and

a merchandise carrier disposed between and attached to the rear of the wheeled base and
the pedestal,

wherein said pedestal includes a surface for supporting the rear of the basket forwardly of
the rear of the base, and said basket is hung from said handle member at a location disposed a
substantial distance from the upper part of said handle member, such that said cart possesses a
lowered center of gravity.

2. (Cancelled)

3. (Original claim) The shopping cart of claim 1, wherein said basket includes front, back, bottom, and side panels, and said pedestal includes a table portion on which the rear portion of the bottom panel of said basket sits.

4. (Original claim) The shopping cart of claim 3, wherein said table portion of said pedestal is substantially horizontally arranged.

5. (Original claim) The shopping cart of claim 3, wherein said table portion is slightly inclined relative to the base.

6. (Original claim) The shopping cart of claim 5, wherein the back of said table portion is lower than the front of said table portion.
7. (Original claim) The shopping cart of claim 1, wherein said handle member includes a U-shaped handle portion at a top end thereof and a pair of connecting rods for connecting said handle member to said pedestal at the rear of said table portion.
8. (Currently amended) The shopping cart of claim 2 1, wherein the lower region of said handle includes a base attachment member having a forward attachment region and a rearward attachment region, said base attachment member being disposed rearwardly of said table portion.
9. (Original claim) The shopping cart of claim 8, wherein said forward attachment region is secured to the table portion and the rearward attachment region is secured to the rear of said base.
10. (Original claim) The shopping cart of claim 9, wherein said forward attachment region of said handle member is secured to the rear portion of said table portion.
11. (Currently amended) The shopping cart of claim 1, and further including a pair of vertically spaced apart hinge rods, a first one of said hinge rods being located in the vicinity of the upper end of said handle member and being disposed on said handle member at a first height, ~~at which the pivoting rear gate of baskets of "conventional" shopping carts are generally hung,~~ and the other of said hinge rods being disposed ~~below~~ lower than said first one of said hinge rods, said the lower hinge rod pivotably securing the rear gate of said basket.
12. (Original claim) The shopping cart of claim 10, wherein said pedestal table portion is supported on resilient elements connected to the base, and the space between said basket and said base is minimized to the extent that its use as storage for merchandise has effectively been eliminated.

13. (Currently amended) The shopping cart of claim 2 1, and further including a child seat at the rear of the basket, said child seat being disposed at a height substantially below the height of the upper end of the handle member.

14. (Currently amended) The shopping cart of claim 13, wherein said child seat pivots between a non-functional position in which the rear of the child seat is disposed adjacent the rear gate of the basket and a functional position in which the rear of the child seat is pivoted forwardly into the basket, and further wherein said child seat includes a seat portion on which a child sits when said child seat is in said functional position, said seat portion being disposed below the other of said hinge rods.

15. (Currently amended) A shopping cart frame, comprising:

a wheeled base having forward and rear portions,

a handle member including two horizontally arranged, vertically spaced apart,

substantially parallel rods attached to said handle member,

a container,

a pedestal formed on said base for supporting said ~~a first~~ container thereon,

said pedestal being mounted to said base at a location

between the forward and rearward ends of said base and at a height relative to said base such that the space between the pedestal and the base is minimized to such an extent that its use as storage for merchandise has been effectively eliminated,

said pedestal further including an array of connected elements defining surface means for engaging the first container and holding it such that the rear of the first container is disposed forwardly of the rear of the base, and at a height relative to the base which is substantially below lower than the height of the uppermost parallel rod at which containers in "conventional" shopping carts are disposed, and

~~a second container~~ first tray, disposed behind said first container, and secured to said pedestal and said base,

whereby the frame and first ~~container~~ tray together possess a center of gravity that is lower than the center of gravity of container and frame combinations of ~~"conventional"~~ other known shopping carts.

16. (Currently amended) The shopping cart frame of claim 15, wherein said base includes a ~~third container~~ second tray disposed above the ~~first~~ container.

17. (Cancelled)

18. (Currently amended) The shopping cart frame of claim 15, wherein said base includes side rails and casters mounted to the side rails for enabling rolling movement of said base on a horizontal surface, and further including a handle assembly mounted to said base, said handle assembly comprising vertically arranged spine members extending upwardly from said base, said spine members being laterally spaced apart and terminating in a handle defining a handle plane, said spine members including a pair of vertically spaced apart horizontal rod members extending between and connected to the spine members and disposed substantially normal to said spine members and being located between said handle plane and said base assembly.

19. (Currently amended) The shopping cart frame of claim 18, wherein the upper one of said rod members lies substantially nearly in said handle plane, and the lower one of said rod members is disposed below said upper rod at a height corresponding with, and forming the pivot connection for, ~~the~~ a pivoting rear gate of said container.

20. (Original claim) The shopping cart frame of claim 18, wherein said pedestal surface means and the lower one of said rod members are arranged relative to one another such that when said first container is disposed on said pedestal surface means, the container and the pivot connection for the rear gate of the container will be located substantially below said handle plane.

21. (Original claim) The shopping cart frame of claim 18, and further including connecting rods projecting from said spine members forwardly and downwardly into securement with the rear of said pedestal for supporting said pedestal against excessive longitudinal forces.

22. (Original claim) The shopping cart frame of claim 18, and further including resilient support elements connected between said pedestal and said side rails of said base for supporting said pedestal against excessive vertical forces.

23. (Original claim) The shopping cart frame of claim 15, wherein the width of the rear portion of the wheeled base is substantially greater than the width of the forward portion of the wheeled base.

24. (Original claim) The shopping cart of claim 1, wherein the width of the rear portion of the wheeled base is substantially greater than the width of the forward portion of the wheeled base.

25. (Currently amended) A shopping cart with a center of gravity lower than the center of gravity of "conventional" shopping carts, comprising:

a wheeled base, said base including a handle and support members connecting the handle to the wheeled base,

a basket support structure on said base, said basket support structure being disposed forwardly of the rear of the wheeled base,

a basket mounted on said basket support structure, and suspended from the support members at a position substantially below said handle, and

two merchandise carriers disposed behind said basket, one a merchandise carrier being disposed below said basket and secured between said basket support structure and the rear of the wheeled base.

26. (Currently amended) The shopping cart of claim 25, wherein said support members include a pair of horizontal, parallel, vertically spaced cross members, and wherein said basket includes a pivoting rear gate, said rear gate being pivotably supported from the lower of the two parallel cross members.

27. (Currently amended) The shopping cart of claim 26, wherein said rear gate includes child seat structure, and said child seat structure is positioned at a lower location relative to said handle than the location of child seat structure in "~~conventional~~" known shopping carts.

28. (Currently amended) The shopping cart of claim 26, and further wherein the other ~~including a second~~ merchandise carrier is disposed above said base.

29. (Currently amended) The shopping cart of claim 28, wherein said second merchandise carrier is located in the vicinity of and behind said handle.

30. (Currently amended) The shopping cart of claim 28, wherein said ~~second~~ other merchandise carrier is located in said ~~first~~ basket.

31. (Currently amended) A shopping cart, comprising:

a frame including a wheeled base having a rear and a handle extending upwardly from the rear of said base,

a ~~first~~ basket mounted to an upper portion of said handle, said ~~first~~ basket having a floor and side panels extending upwardly from the floor, said basket including a child seat and protective panels disposed on opposite sides of said child seat,

said protective panels being disposed at the rear of the basket and extending upwardly from upper edges of said side panels, and

a pedestal mounted to said frame and supporting the bottom of said ~~first~~ basket, said pedestal being disposed forwardly of the rear of said base.

32. (Cancelled)

33. (Original claim) The shopping cart of claim 32, and further including a barrier panel mounted to said handle to the rear of said child seat, said barrier panel and said protective panels forming a protective zone about a child sitting in the child seat of the first basket.

34. (Original claim) The shopping cart of claim 31, wherein said child seat is mounted to said handle.

35. (Original claim) The shopping cart of claim 34, wherein said frame includes a pair of parallel horizontally disposed rod members located closer to said handle than to said base, and further wherein a gate member is pivotably secured to the lower one of said rod members, said child seat being mounted to said gate member.

36. (Currently amended) A basket for a shopping cart having a wheeled base, a handle portion connected to the wheeled base, and a first panel connected to said handle portion, said basket comprising:

side, front and bottom panels which cooperate with said first panel to define a container having a floor and four sides, said sides having an upper rim, and

side panel extension members extending upwardly from, and above, the upper rim of the rear portion of the basket sides.

37. (Original claim) The basket of claim 36, wherein said first panel includes a child seat having a back portion for supporting the back of the torso of a child sitting in the child seat, and further including a barrier panel mounted to said handle portion at a level which corresponds to the head level of a child sitting in the child seat,

said side panel extension members form, along with the back portion of the child seat and the barrier panel, a zone of protection about the head and torso of a child sitting in the child seat.

38. (Original claim) The basket of claim 37, and further including a merchandise carrier disposed within said basket in the vicinity of the front panel thereof.